

### **Supplementary References:**

- 37 Palmer, K. L. et al. High-Quality Draft Genome Sequences of 28 Enterococcus sp. Isolates. *Journal of Bacteriology*. 192, 2469-2470, (2010).
- 38 McBride, S. M., Fischetti, V. A., Leblanc, D. J., Moellering, R. C., Jr. & Gilmore, M. S. Genetic diversity among Enterococcus faecalis. *PloS one*. 2(7): e582, (2007).
39. Kristich CJ, Little JL. Mutations in the beta subunit of RNA polymerase alter intrinsic cephalosporin resistance in Enterococci. *Antimicrobial Agents and Chemotherapy*. 56(4): 2022-2027 (2012).
40. Kristich CJ, Chandler JR, Dunny GM. Development of a host-genotype-independent counterselectable marker and a high-frequency conjugative delivery system and their use in genetic analysis of Enterococcus faecalis. *Plasmid*. 57(2): 131-144 (2007).
41. Dunny GM, Brown BL, Clewell DB. Induced cell aggregation and mating in Streptococcus faecalis: evidence for a bacterial sex pheromone. *PNAS*. 75(7): 3479-3483 (1978).
42. Sahm DF, Kissinger J, Gilmore MS, Murray PR, Mulder R, Solliday J, et al. In vitro susceptibility studies of vancomycin-resistant Enterococcus faecalis. *Antimicrobial agents and chemotherapy*. 33(9): 1588-1591 (1989).
43. Yagi Y, Kessler RE, Shaw JH, Lopatin DE, An F, Clewell DB. Plasmid content of Streptococcus faecalis strain 39-5 and identification of a pheromone (cPD1)-induced surface antigen. *Journal of General Microbiology*. 129(4): 1207-1215 (1983).
44. Dunny G, Funk C, Adsit J. Direct stimulation of the transfer of antibiotic resistance by sex pheromones in Streptococcus faecalis. *Plasmid*. 6(3): 270-278 (1981).
45. Reinhard Wirth FYA, and Don B. Clewell. Highly efficient protoplast transformation system for Streptococcus faecalis and a new Escherichia coli-S. faecalis shuttle vector. *Journal of Bacteriology*. 165(3): 831-836 (1986).